




# Huaxin Bearing Co., Ltd



RCJTZ30 Bearing 2D drawings and 3D CAD models

## INA RCJTZ30 bearing units

Bearing No. RCJTZ30

Bore Diameter	30 mm
d	30 mm
V	83 mm
U	47,1 mm
Thread (Q)	Rp1/8
T1	3 mm
Z	80 mm
d3	44 mm
A	26 mm
A1	12 mm
B1	48,5 mm
H	142 mm
J	116,5 mm
L	83 mm
N	11,5 mm
A2	17 mm
Weight	0,9 Kg
Basic dynamic load rating (C)	19,5 kN
Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	4012802066968
Product Group	M06110
Number of Mounting Holes	2



## Huaxin Bearing Co., Ltd

Mounting Method	Eccentric Collar
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	11.5 Millimeter
Relubricatable	Yes
Insert Part Number	GE30KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch - Metric	Metric
Long Description	2 Bolt Flange Block; 30MM Bore; 117MM Bolt Circle; 116.5MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 48.42MM Length Thru Bore; Relubricatable; Double Land Riding Ru
Other Features	Single Row   Centering Spigot   With Set Screw
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	RCJTZ30
Weight / LBS	1.985
Cartridge Pilot Diameter	3.15 Inch   80 Millimeter
Length Thru Bore	1.906 Inch   48.42 Millimeter
Cartridge Pilot Depth	0.118 Inch   3 Millimeter



## Huaxin Bearing Co., Ltd

Nominal Bolt Circle Diameter Round	4.6 Inch   117 Millimeter
Bore	1.181 Inch   30 Millimeter
Bolt Spacing	4.587 Inch   116.5 Millimeter